



**CHIMNEYS**


A Chimney so smart that it cleans itself with a one-touch self-cleaning function.

**Minimises cleaning:**

Cooking needs to be enjoyable, just leave the physical work to the machine itself. With Self Cleaning Technology, there is no need to disassemble the filter to see if it needs cleaning. Just press the Self Clean button to achieve self-cleaning of the hood interior. The high temperature heat dissolves the oil particles, and the oil particles flows down into the oil cup. All you need to do is to pour the oil cup.

**High suction, low noise:**

Our specially designed motor with **Archimedean Air principle**, enables maximum suction power with minimal noise level. All this is possible with just 220W motor.



## 350W\* Power Motor with copper winding re-defines suction power.



**Odor free:**

It is a known fact that higher the motor power, the better is the suction power. Our 350W power motor with copper winding comes packed with highest wattage exhibiting maximum suction power. This not only ensures a smoke-free kitchen but also gets rid of any unpleasant odor.



**Durable:**

The copper winding on motor further empowers the longevity of motor's life.




**Flawless German design:**

High quality material coupled with elegant craftsmanship, make our chimney a treat to look at as well as to use. The finesse of the brushed steel finish of our chimneys along with the LED lights, add a modern yet minimalistic look to your kitchen aesthetics. Unlike the halogen lights, the LED lights fitted in our chimney doesn't let the chimney heat up while its no sharp edges design ensures complete safety.

**DID YOU KNOW ?**

The extraction power of any chimney depends on the wattage power of its motor. Bosch chimneys have proven to have the highest wattage power of 350W which maximises the chimneys performance. Don't believe us? Experience it yourself!



\*Only available in selective models.





## A breath of fresh air in chimney design.

### Efficient Extraction

All of our chimneys come with either baffle filter, multi-layer cassette filter or rim ventilation filter. These filters absorb higher amount of grease in the vapour while their detachable feature makes cleaning easy. While the baffle filter and the multi-layer cassette filter are the ideal choice for heavy duty Indian cooking, our filters are so effective & efficient that you will get fresh air even on recirculation mode.



**Baffle filter**



**Multi-layer cassette filter**

### Control

The Touch control and push button features of our chimneys give you complete control, allowing you to adjust the extraction power according to the dish you are preparing.



**Touch control**



**Push buttons**

### Intuitive

Self Cleaning Technology enables the chimney to automatically trigger an alert after 20 hours. Once this happens, on a simple button press, all the grease will flow down to the oil cup. Also when the vapour are extremely dense, you can simply activate the Booster function. This enable the chimney to run at maximum power for few seconds before automatically resuming to its original power setting. After switching off the chimney, the Auto-Fan off feature lets the chimney run for an additional few minutes to clear out any residual odor before turning off.



**Self Cleaning sensor:**




**Booster function:**



**Auto fan off:**




## How to choose your chimney?



### Ducted extraction

Ducting out is the most effective method of extraction. Ideally the extractor should be sited on an outside wall, or an outside wall can be reached via ducting. All Bosch extractors are now standardised to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please refer to the installation guide for further advice on best practice installation.



### Recirculation kit

Odors are extracted and filtered, then purified air is returned to the room. The kit comprises of a carbon filter and all components needed to ensure that odor free air is returned into the kitchen. To maintain performance, the carbon filter should be replaced on a regular basis. A recirculation kit needs to be purchased as a separate accessory.

## Angled Flow




Add a dash of uniqueness and modernity to your kitchen with our innovative Angled flow chimney, with an uber-smart look.



# Angled Flow







Model Number	DWS97BA62I 90°cm   Self clean chimney   Touch controls	DWK098G60I 90°cm   Wall mounted chimney   Touch controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 220W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 68dB</li> <li>• <b>Self Cleaning Technology with Archimedean Air principle</b></li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted</li> <li>• Certified by CCC</li> <li>• Warranty: 2 years comprehensive</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient mesh filter x 3 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 Years comprehensive 5 Years on motor.</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 800 x 895 x 435 mm</li> <li>• Exhaust dimension: 160 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 500 x 900 x 480 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to www.bosch-home.in



Model Number	DWK068G60I 60°cm   Wall mounted chimney   Touch controls	DWK065G60I 60°cm   Wall mounted chimney   Touch controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient mesh filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 210W motor</li> <li>• High suction power</li> <li>• Max. noise levels: 55 - 70dB</li> <li>• 1 high efficient mesh filter</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 500 x 598 x 480 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 770-1080 x 596 x 386 mm</li> <li>• Exhaust dimension: 150 mm</li> <li>• Electrical supply cord length: 1300 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to www.bosch-home.in



## Supra Glass

Go glamorous with our unique Supra Glass chimney that comes with beautiful glass panels and add a touch of class to your kitchens.









## Supra Glass







Model Number	DIB128G50I 120°cm   Island chimney   Touch controls	DIB098G50I 90°cm   Island chimney   Touch controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 77dB</li> <li>• High efficient baffle filter x 4 Nos.</li> <li>• LED lamp x 4 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 77dB</li> <li>• High efficient baffle filter x 3 Nos.</li> <li>• LED lamp x 4 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 1000 x 1175 x 610 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 1000 x 900 x 610 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.in](http://www.bosch-home.in)



Model Number	DWB97FM50I 90°cm   Wall mounted chimney   Touch controls	DWB97DM50I 90°cm   Wall mounted chimney   Touch controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 250W motor</li> <li>• High suction power</li> <li>• Max. noise levels: 52 - 77dB</li> <li>• Extra large high efficient multi layer cassette filter x 3 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 250W motor</li> <li>• High suction power</li> <li>• Max. noise levels: 52 - 77dB</li> <li>• Extra large high efficient multi layer cassette filter x 3 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 635-1075 x 900 x 500 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1300 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 635-1075 x 900 x 500 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1300 mm</li> </ul>







\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.in](http://www.bosch-home.in)

# Supra Glass







Model Number	DWB098G60I 90*cm   Wall mounted chimney   Touch controls	DWB098G50I 90*cm   Wall mounted chimney   Touch controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 3 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 3 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 900 x 490 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 900 x 490 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.in](http://www.bosch-home.in)



Model Number	DWB068G60I 60*cm   Wall mounted chimney   Touch controls	DWB068G50I 60*cm   Wall mounted chimney   Touch controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 Years comprehensive 5 Years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 600 x 490 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 600 x 490 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.in](http://www.bosch-home.in)



## Mech Master





Give your modern kitchen a traditional touch with easy and precise mechanical controls offered by our one-of-a-kind, Mech master chimneys.



# Mech Master







Model Number	DWB098D50I 90*cm   Wall mounted chimney   Push button controls	DWB068D50I 60*cm   Wall mounted chimney   Push button controls
Features	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 3 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
Dimensions	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 900 x 490 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1100 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 644 x 600 x 490 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.it](http://www.bosch-home.it)




Model Number	DWB95BC50I 90*cm   Wall mounted chimney   Push button controls	DWB65BC50I 60*cm   Wall mounted chimney   Push button controls
Features	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 210W motor</li> <li>• High suction power</li> <li>• Max. noise levels: 48 - 69dB</li> <li>• Extra large high efficient mesh filter x 3 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 210W motor</li> <li>• High suction power</li> <li>• Max. noise levels: 48 - 69dB</li> <li>• Extra large high efficient mesh filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive</li> </ul>
Dimensions	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 550-830 x 898 x 500 mm</li> <li>• Exhaust dimension: 150 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 550-830 x 598 x 500 mm</li> <li>• Exhaust dimension: 150 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.it](http://www.bosch-home.it)

## Crystal Craft





Give your kitchen a stroke of sophistication with top glass housing of our Crystal craft chimney.






# Crystal Craft



Model Number	DIG098G50I 90°cm   Island chimney   Touch button controls	DWH098D60I 90°cm   Wall mounted chimney   Push button controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 77dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 4 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 1000 x 900 x 700 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 650 x 898 x 460 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



Model Number	DWG098D60I 90°cm   Wall mounted chimney   Push button controls	DWH068D60I 60°cm   Wall mounted chimney   Push button controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 77dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 898 x 520 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 650 x 598 x 460 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>









# Crystal Craft





Model Number	DWG098D50I 90*cm   Wall mounted chimney   Push controls	DWG068D60I 60*cm   Wall mounted chimney   Push button controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 77dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 900 x 520 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 598 x 520 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.in](http://www.bosch-home.in)



Model Number	DWG068D50I 60*cm   Wall mounted chimney   Push button controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 350W motor</li> <li>• Very high suction power</li> <li>• Max. noise levels: 55 - 73dB</li> <li>• High efficient baffle filter x 2 Nos.</li> <li>• LED lamp x 2 Nos.</li> <li>• Stainless steel</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive 5 years on motor</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 594 x 600 x 520 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1500 mm</li> </ul>



\*All the dimensions mentioned are indicative and rounded up to +/- 5cm. For exact dimensions, please refer to [www.bosch-home.in](http://www.bosch-home.in)

## Primus Max

Our flagship Primus Max chimney appeal to the most demanding and modernised connoisseurs with their beautifully chiselled bezels and premium cut look.



Eco silence drive

BOSCH

Air quality sensor

Auto fan off

Rim ventilation

LED illumination




Touch control

Saturation indicator

# Primus Max



Model Number	DWB091K50*	DWB098E51*
	90°cm Wall mounted chimney   Touch controls	90°cm   Wall mounted chimney   Low lift push controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Eco silence BLDC motor technology</li> <li>• Very high suction power</li> <li>• Max. noise levels: 44 - 75dB</li> <li>• High efficient mesh filter x 3 Nos.</li> <li>• Rim ventilation</li> <li>• LED Lamp x 3 Nos.</li> <li>• Stainless steel</li> <li>• Ducted model</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive</li> </ul>	<ul style="list-style-type: none"> <li>• 3 fan speeds + Intensive mode</li> <li>• Eco silence BLDC motor technology</li> <li>• Very high suction power</li> <li>• Max. noise levels: 46 - 73dB</li> <li>• Extra large high efficient multi layer cassette filter x 3 Nos.</li> <li>• LED Lamp x 3 Nos</li> <li>• Stainless steel</li> <li>• Ducted model</li> <li>• Certified by CEE BEE / ROHS</li> <li>• Warranty: 2 years comprehensive</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 628-1064 x 900 x 500 mm</li> <li>• Exhaust dimension: 150 mm</li> <li>• Electrical supply cord length: 1300 mm</li> </ul>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 628-1064 x 900 x 500 mm</li> <li>• Exhaust dimension: 150 mm</li> <li>• Electrical supply cord length: 1300 mm</li> </ul>







## SmartSuit

Smartness is in using space effectively yet creating an impact. Our SmartSuit chimneys are exactly this & much more. While using minimal space, they seamlessly fit in with your kitchen units delivering superlative performance every single time.



<b>Model Number</b>	<b>DHU636CQI</b> 60*cm   Undercabinet chimney   Slide controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 140W motor</li> <li>• High suction power</li> <li>• Max. noise levels: 55 - 71dB</li> <li>• High efficient mesh filter x 1 Nos.</li> <li>• Halogen lights x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CE / Eurasian</li> <li>• Warranty: 2 Years comprehensive</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 150 x 600 x 482 mm</li> <li>• Exhaust dimension: 120 mm</li> <li>• Electrical supply cord length: 1300 mm</li> </ul>



<b>Model Number</b>	<b>DHI646CQI</b> 60*cm   Telescopic chimney   Slide controls
<b>Features</b>	<ul style="list-style-type: none"> <li>• 3 fan speeds</li> <li>• Motor power: 125W motor</li> <li>• High suction power</li> <li>• Max. noise levels: 50 - 69dB</li> <li>• High efficient mesh filter x 1 Nos.</li> <li>• Halogen lights x 2 Nos.</li> <li>• Lacquered</li> <li>• Ducted or Re-circulation mode</li> <li>• Certified by CE / Eurasian</li> <li>• Warranty: 2 years comprehensive</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>• Appliance dimensions (HxWxD): 175 x 600 x 280 mm</li> <li>• Exhaust dimension: 150/120 mm</li> <li>• Electrical supply cord length: 1300 mm</li> </ul>

